

# REMY SHELTER

SKU: 107.1451



## Description

The Remy Shelter is a safe, economical and robust storage solution designed for cycle parking, equipment protection and secure compounds. Featuring a galvanised steel framework, corrugated steel roof and vandal-resistant gates, it delivers dependable performance at excellent value. Integrated PVC guttering ensures effective water management for long-term durability. A cost-efficient, specification-ready choice for public realm, education and commercial projects.

### Standard Dimensions

Length x Width x Height (mm)

4076 x 2160 x 2140



# REMY SHELTER

SKU: 107.1451



<b>2D DWG Available</b>	Yes
<b>3D Model Available (STEP/IFC)</b>	Yes
<b>Above Ground Height</b>	2140 mm
<b>Area of Application</b>	Outdoor
<b>BIM Object Available</b>	No
<b>Condition Upon Delivery</b>	Unassembled
<b>Country of Origin</b>	United Kingdom
<b>Depth</b>	2160 mm
<b>Designer</b>	Bailey Street Furniture Group
<b>Finishing / Treatment</b>	Galvanised



Bailey Street Furniture Group | Adlington Business Park | London Road | Adlington | Cheshire | SK10 4NL | United Kingdom

w: [www.bsfg.co.uk](http://www.bsfg.co.uk) | t: 01625 322888 | e: [enquiries@bsfg.co.uk](mailto:enquiries@bsfg.co.uk)

Company Registration No. 5269442 VAT No. 849 4437 86

## REMY SHELTER

SKU: 107.1451



<b>Gated</b>	Yes - with a 2x2m Gate
<b>Height</b>	2140 mm
<b>Includes Notice Board</b>	No
<b>Integral Cycle Parking</b>	No
<b>Length</b>	4076 mm
<b>Lighting</b>	No
<b>Lock and Key Type</b>	Lock and Hasp
<b>Lockable</b>	Yes
<b>Lowest Roof Height</b>	1955 mm
<b>Material</b>	Steel, Corrugated Steel
<b>Mounting Options</b>	Surface Mounted
<b>NBS Source Listed</b>	No
<b>Overall Height</b>	2140 mm
<b>Product</b>	Shelter / Canopy / Walkway
<b>Product Application</b>	Outdoor
<b>Recyclable</b>	Yes
<b>Roof Material</b>	Corrugated Steel
<b>Roof Type</b>	Monopitch Roof
<b>Shelter Type</b>	Bike Shelter
<b>Warranty</b>	1 Years
<b>Weight</b>	629 kg



BUILDERS  
PROFILE

Constructionline

Secured by Design

BSI

RISQS

PSSA

ONCE FOR ALL

Environment  
Agency

SafeContractor

BSI  
CERTIFIED